Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

DRAFT - DO NOT REPRODUCE

Parameters									
	Home:	**Ex. 6 - Personal Privacy**							
	Field Sample ID:	**MWF-METALS-001 / MWF-HCN-001**	**MWF-METALS-002 / MWF-HCN-002**	**MWF-METALS-003 / MWF-HCN-003**	**MWF-METALS-004 / MWF-HCN-004**	**MWF-METALS-005**	**MWF-METALS-006**	**MWF-METALS-007**	**MWF-METALS-008**
	Sample Date:	**6/15/2016**	**6/15/2016**	**6/15/2016**	**6/15/2016**	**6/15/2016**	**6/15/2016**	**6/15/2016**	**6/15/2016**
	Laboratory Job Number:	**82527**	**82527**	**82527**	**82527**	**82549**	**82549**	**82549**	**82549**
	Adult / Child / Duplicate:								
Parameters	**Units**								
Hydrogen Cyanide / NIOSH-6010	mg/m³	ND<0.125	ND<0.125	ND<0.125	ND<0.125				
Metals / NIOSH-7303(M)									
Aluminum	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	0.992	1.25	1.69	0.345
Antimony	µg/m³	ND<0.25	5.43	ND<0.25	ND<0.25	0.412	ND<0.25	ND<0.25	ND<0.25
Arsenic	[illegible]	[illegible]	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25
Barium	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25
Beryllium	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25
Cadmium	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25
Calcium	[illegible]	ND<0.25	[illegible]	[illegible]	5.55	[illegible]	5.49	8.08	2.69
Chromium	[illegible]	**1.53**	[illegible]	[illegible]	**1.42**	[illegible]	[illegible]	[illegible]	**0.646**
Cobalt	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25	[illegible]	[illegible]	[illegible]	ND<0.25
Copper	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25
Iron	[illegible]	3.14	[illegible]	[illegible]	[illegible]	[illegible]	0.895	4.10	ND<0.25
Lead	[illegible]	ND<0.25	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25
Magnesium	[illegible]	1.16	[illegible]	[illegible]	1.36	[illegible]	2.47	2.11	0.386
Manganese	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25
Molybdenum	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25
Nickel	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	7.43	0.432	0.887	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	5.82	7.01	8.44	2.41
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	0.399	0.405	1.81	0.327	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	6.25	ND<0.25	0.423	6.52	ND<0.25	0.307	ND<0.25

Notes:
Bold results exceed applicable limits for characteristic hazardous wastes
ND<X = constituents(s) not detected at or above method detection limit
* = Target analyte was detected in the batch field blank(s) and subtracted by the field blank concentration per NIOSH Method 7300
J = analyte was detected. However, analyte concentration is an estimated value which is between the method detection limit (MDL) and the practical quantitation limit (PQL)
mg/m^3 = milligram per cubic meter
$\mu g/m^3$ = microgram per cubic meter

DRAFT - DO NOT REPRODUCE

Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

DRAFT - DO NOT REPRODUCE

Parameters	Units								
	Home:	Ex. 6 - Personal Privacy							
	Field Sample ID:	**MWF-METALS-009**	**MWF-METALS-010**	**MWF-METALS-022**	**MWF-METALS-031**	**MWF-METALS-032**	**MWF-METALS-033**	**MWF-METALS-034**	**MWF-METALS-035**
	Sample Date:	**6/16/2016**	**6/16/2016**	**6/17/2016**	**6/18/2016**	**6/18/2016**	**6/20/2016**	**6/19/2016**	**6/19/2016**
	Laboratory Job Number:	**82565**	**82565**	**82565**	**82565**	**82565**	**82717**	**82565**	**82565**
	Adult / Child / Duplicate:								
Hydrogen Cyanide / NIOSH-6010	mg/m^3								
Metals / NIOSH-7303(M)									
Aluminum	$\mu g/m^3$	1.22	0.643	1.33	0.804 *	0.468 *	ND<0.25	0.649	0.539
Antimony	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/[illegible]	[illegible]	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25
Barium	µg/[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25
Beryllium	µg/[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25
Cadmium	µg/[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25
Calcium	µg/[illegible]	7.87 *	[illegible]	[illegible]	0.853	[illegible]	2.43	1.76 *	1.02 *
Chromium	µg/[illegible]	ND<0.25	[illegible]	[illegible]	0.445 *	[illegible]	0.405	[illegible]	ND<0.25 *
Cobalt	µg/[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25	[illegible]	[illegible]	[illegible]	ND<0.25
Copper	µg/[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25
Iron	µg/[illegible]	1.50 J	[illegible]	1.53	[illegible]	[illegible]	0.899	[illegible]	ND<0.25
Lead	µg/[illegible]	ND<0.25	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25
Magnesium	µg/[illegible]	7.91	[illegible]	[illegible]	2.62	[illegible]	1.03	0.760	0.690
Manganese	µg/[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25
Molybdenum	µg/[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25
Nickel	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	$\mu g/m^3$	ND<0.25	ND<0.25	1.07	ND<0.25	1.38	ND<0.25	ND<0.25	ND<0.25
Selenium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	$\mu g/m^3$	3.80	3.71	4.20 *	2.35 *	1.93 *	3.20	2.02	1.86
Thallium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	$\mu g/m^3$	0.295	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Target analyte was detected in the batch fi
J = analyte was detected. However, analyte co
mg/m^3 = milligram per cubic meter
$\mu g/m^3$ = microgram per cubic meter

DRAFT - DO NOT REPRODUCE

Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy							
	Field Sample ID:	MWF-METALS-036	MWF-METALS-037	MWF-METALS-038	MWF-METALS-043	MWF-METALS-046	MWF-METALS-047	MWF-METALS-068	MWF-METALS-069
	Sample Date:	6/20/2016	6/20/2016	6/20/2016	6/20/2016	6/22/2016	6/22/2016	6/23/2016	6/23/2016
	Laboratory Job Number:	82717	82717	82717	82717	82731	82731	82746	82746
	Adult / Child / Duplicate:								
	Units								
Hydrogen Cyanide / NIOSH-6010	mg/m^3								
Metals / NIOSH-7303(M)									
Aluminum	$\mu g/m^3$	ND<0.25	ND<0.25	0.347	ND<0.25	ND<0.25	0.303	0.334	0.497
Antimony	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	$\mu g/m^3$	[illegible]	[illegible]	ND<0.25	[illegible]	ND[illegible]	[illegible]0.25	[illegible]	ND<0.25
Barium	$\mu g/m^3$	[illegible]	[illegible]	[illegible]0.25	[illegible]	ND[illegible]	[illegible]0.25	[illegible]	ND<0.25
Beryllium	$\mu g/m^3$	ND<0.25	[illegible]0.25	[illegible]25	ND<[illegible]	ND[illegible]	ND<0.25	[illegible]D<0.25	ND<0.25
Cadmium	$\mu g/m^3$	ND<0.25	[illegible]0.25	N[illegible]25	ND<0.[illegible]	ND[illegible]	ND<0.25	[illegible]D<0.25	ND<0.25
Calcium	$\mu g/m^3$	2.43	[illegible]8	[illegible]	1.42	1[illegible]	5.44 *	[illegible].14 *	1.43 *
Chromium	$\mu g/m^3$	0.395	[illegible]32	[illegible]46	0.304	ND[illegible]*	ND<0.25 *	[illegible]D<0.25	ND<0.25
Cobalt	$\mu g/m^3$	ND<0.25	[illegible]	ND<0.25	ND<0.25	ND[illegible]	[illegible]D<0.25	[illegible]D<0.25	ND<0.25
Copper	$\mu g/m^3$	ND<0.25	[illegible]0.25	ND<0.25	ND<0.25	ND[illegible]	ND<0.25	[illegible]D<0.25	ND<0.25
Iron	$\mu g/m^3$	ND<0.25	[illegible]51	[illegible]D<0.25	[illegible]	ND[illegible]	0.480	[illegible]D<0.25	ND<0.25
Lead	$\mu g/m^3$	ND<0.25	[illegible]0.25	[illegible]<0.25	ND<0.25	ND[illegible]	ND<0.25	[illegible]D<0.25	ND<0.25
Magnesium	$\mu g/m^3$	0.849	[illegible]42	[illegible]	0.792	0[illegible]	0.764	[illegible]0.467	0.626
Manganese	$\mu g/m^3$	[illegible]	[illegible]0.25	[illegible]25	ND<0.25	ND[illegible]	ND<0.25	[illegible]D<0.25	ND<0.25
Molybdenum	$\mu g/m^3$	[illegible]D<0.25	[illegible]D<0.25	ND[illegible]	ND<0.25	ND[illegible]	ND<0.25	[illegible]D<0.25	ND<0.25
Nickel	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	1.29	1.52	ND<0.25	ND<0.25
Selenium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	$\mu g/m^3$	0.923	1.36	2.85	2.80	0.301	2.80	1.91	2.20
Thallium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	0.364	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or ab
* = Target analyte was detected in the batch fi
J = analyte was detected. However, analyte co
mg/m^3 = milligram per cubic meter
$\mu g/m^3$ = microgram per cubic meter

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy							
	Field Sample ID:	**MWF-METALS-107**	**MWF-METALS-108**	**MWF-METALS-120**	**MWF-METALS-121**	**MWF-METALS-146**	**MWF-METALS-147**	**MWF-METALS-148**	**MWF-METALS-149**
	Sample Date:	**6/24/2016**	**6/24/2016**	**6/25/2016**	**6/25/2016**	**6/26/2016**	**6/26/2016**	**6/27/2016**	**6/27/2016**
	Laboratory Job Number:	**82851**	**82851**	**82856**	**82856**	**82856**	**82856**	**82873**	**82873**
	Adult / Child / Duplicate:								
	Units								
Hydrogen Cyanide / NIOSH-6010	mg/m^3								
Metals / NIOSH-7303(M)									
Aluminum	$\mu g/m^3$	0.298 *	0.405 *	ND<0.25	ND<0.25	ND<0.25	ND<0.25	0.427 *	0.328 *
Antimony	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	$\mu g/m^3$			ND<0.25					ND<0.25
Barium	$\mu g/m^3$								ND<0.25
Beryllium	$\mu g/m^3$	ND<0.25					ND<0.25	ND<0.25	ND<0.25
Cadmium	$\mu g/m^3$	ND<0.25					ND<0.25	ND<0.25	ND<0.25
Calcium	$\mu g/m^3$	1.13 *			0.585 *		8.61	2.64 *	1.27 *
Chromium	$\mu g/m^3$	ND<0.25 *			ND<0.25		0.27	0.407	ND<0.25
Cobalt	$\mu g/m^3$	ND<0.25		ND<0.25	ND<0.25		ND<0.25	ND<0.25	ND<0.25
Copper	$\mu g/m^3$	ND<0.25		ND<0.25			ND<0.25	ND<0.25	ND<0.25
Iron	$\mu g/m^3$	ND<0.25		0.444			ND<0.25	1.16	0.940
Lead	$\mu g/m^3$	ND<0.25			ND<0.25		ND<0.25	ND<0.25	ND<0.25
Magnesium	$\mu g/m^3$	0.473 *			0.574		0.910	0.650 *	0.568 *
Manganese	$\mu g/m^3$				ND<0.25		ND<0.25	ND<0.25	ND<0.25
Molybdenum	$\mu g/m^3$			ND<0.25	ND<0.25		ND<0.25	ND<0.25	ND<0.25
Nickel	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	$\mu g/m^3$	ND<0.25	ND<0.25 *	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Selenium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	$\mu g/m^3$	2.80	2.49	1.32	3.20	5.20	1.52	0.517 *	ND<0.25 *
Thallium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or ab
* = Target analyte was detected in the batch fi
J = analyte was detected. However, analyte co
mg/m^3 = milligram per cubic meter
$\mu g/m^3$ = microgram per cubic meter

DRAFT - DO NOT REPRODUCE

Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

	Home:	Ex. 6 - Personal Privacy						
	Field Sample ID:	**MWF-METALS-200**	**MWF-METALS-201**	**MWF-METALS-207**	**MWF-METALS-208**	**MWF-METALS-209**	**MWF-METALS-210**	**MWF-METALS-211**
	Sample Date:	**6/27/2016**	**6/27/2016**	**6/30/2016**	**6/30/2016**	**7/1/2016**	**7/1/2016**	**7/2/2016**
	Laboratory Job Number:	**82873**	**82873**	**82950**	**82950**	**82954**	**82954**	**82955**
	Adult / Child / Duplicate:							
Parameters	**Units**							
Hydrogen Cyanide / NIOSH-6010	mg/m^3							
Metals / NIOSH-7303(M)								
Aluminum	$\mu g/m^3$	ND<0.25 *	ND<0.25 *	0.418	0.349	0.409	0.372	ND<0.25
Antimony	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	$\mu g/m^3$	ND<0.25		ND<0.25	ND<0.25			ND<0.25
Barium	$\mu g/m^3$	ND<0.25		ND<0.25	ND<0.25			ND<0.25
Beryllium	$\mu g/m^3$	<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	$\mu g/m^3$	0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	$\mu g/m^3$	*	0.939 *	3.42	10.2	3.53	3.25	0.710
Chromium	$\mu g/m^3$	25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cobalt	$\mu g/m^3$	25		ND<0.25	<0.25		ND<0.25	ND<0.25
Copper	$\mu g/m^3$	25	ND<0.25	ND<0.25	<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	$\mu g/m^3$	25	ND<0.25	ND<0.25	0.25	0.689	0.522	ND<0.25
Lead	$\mu g/m^3$	0.25	ND<0.25	ND<0.25	25	ND<0.25	ND<0.25	ND<0.25
Magnesium	$\mu g/m^3$	<0.25 *	0.353 *			0.922	0.883	0.657
Manganese	$\mu g/m^3$	ND<0.25	ND<0.25	.25	ND	ND<0.25	ND<0.25	ND<0.25
Molybdenum	$\mu g/m^3$	ND<0.25	ND<0.25	0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Selenium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	$\mu g/m^3$	1.26 *	1.03 *	7.00	6.90	5.45	4.78	3.07
Thallium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or ab
* = Target analyte was detected in the batch fi
J = analyte was detected. However, analyte co
mg/m^3 = milligram per cubic meter
$\mu g/m^3$ = microgram per cubic meter

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters		Home:	Ex. 6 - Personal Privacy
		Field Sample ID:	MWF-METALS-212
		Sample Date:	7/2/2016
		Laboratory Job Number:	82955
		Adult / Child / Duplicate:	
	Units		
Hydrogen Cyanide / NIOSH-6010	mg/m^3		
Metals / NIOSH-7303(M)			
Aluminum	$\mu g/m^3$		ND<0.25
Antimony	$\mu g/m^3$		ND<0.25
	$\mu g/m^3$		ND<0.25
Barium	$\mu g/m^3$		ND<0.25
Beryllium	$\mu g/m^3$		ND<0.25
Cadmium	$\mu g/m^3$		ND<0.25
Calcium	$\mu g/m^3$		0.999
Chromium	$\mu g/m^3$		ND<0.25
	$\mu g/m^3$		ND<0.25
	$\mu g/m^3$		ND<0.25
Iron	$\mu g/m^3$		ND<0.25
Lead	$\mu g/m^3$		ND<0.25
Magnesium	$\mu g/m^3$		
Manganese	$\mu g/m^3$		ND
Molybdenum	$\mu g/m^3$		ND
Nickel	$\mu g/m^3$		ND<0.25
Potassium	$\mu g/m^3$		ND<0.25
Selenium	$\mu g/m^3$		ND<0.25
Sodium	$\mu g/m^3$		3.46
Thallium	$\mu g/m^3$		ND<0.25
Vanadium	$\mu g/m^3$		ND<0.25
Zinc	$\mu g/m^3$		ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Target analyte was detected in the batch fi
J = analyte was detected. However, analyte co
mg/m^3 = milligram per cubic meter
$\mu g/m^3$ = microgram per cubic meter